INDEX TO VOLUME XXXVII

AUTHORS

Page

Anderson, M. L. (see Betty Sullivan) 436
Anderson, R. A., V. F. Pfeifer, E. B. Lancaster, C. Vojnovich, and E. L. Griffin, Jr. Pilot-plant studies on the continuous batter process to recover gluten from wheat flour 180
———, **C. Vojnovich, and E. L. Griffin, Jr.** Wet-milling high-amylose corn containing 49- and 57-percent-amylose starch 334
——— (see C. Vojnovich) . . . 422, 576

Babcock, G. E., R. Tobin, R. J. Dimler and F. R. Senti. Particle size in aqueous starch dispersions 645
Bailey, C. H. A note on the vitamin B content of Korean rice . . 103
Barmore, M. A. (see S. J. Kitterman) 762
Barnett, J. C. (see J. R. Parks) 503
Bayfield, E. G., and C. D. Stone. Effects of absorption and temperature upon flour-water farinograms 233
Beachell, H. M. (see J. V. Halick) . 670
Bechtel, W. G. (see K. Kulp) 170
Becker, H. A. On the absorption of liquid water by the wheat kernel 309
Bloksma, A. H., and I. Hlynka. The effect of remixing on the structural relaxation of unleavened dough 352
Bradley, W. B. (see W. K. Calhoun) 755
——— (see F. N. Hepburn) 749
Bushuk, W., and I. Hlynka. The bromate reaction in dough. I. Kinetic studies 141
———, **and** ———. The bromate reaction in dough. II. Inhibition and activation studies 343
———, **and** ———. Weight and volume changes in wheat during sorption and desorption of moisture 390
———, **and** ———. Disappearance of bromate during baking of bread 573

Page

Calhoun, W. K., F. N. Hepburn, and W. B. Bradley. The distribution of the vitamins of wheat in commercial mill products . . . 755
——— (see F. N. Hepburn) 749
Cheng, Y.-Y. (see P. Linko) 548
Christensen, C. M. (see G. C. Papavizas) 197
Classon, D. H. (see L. D. Sibbitt) 398
Cochrane, D. G. (see W. W. Luchsinger) 525
Cole, E. W., D. K. Mecham, and J. W. Pence. Effect of flour lipids and some lipid derivatives on cookie-baking characteristics of lipid-free flours 109
Craine, E. M. (see T. A. McGuire) 324
Cuendet, L. S. (see M. Golubchuk) 405

Dahle, L., and Betty Sullivan. (Communication to the Editor.) Presence and probable role of thioctic acid in wheat flour . . . 679
Deatherage, W. L. (see M. S. Zuber) 212
Desikachar, H. S. R., and V. Subrahmanyan. The relative effects of enzymatic and physical changes during storage on the culinary properties of rice 1
——— (see G. Rama Rao) 71
Dimler, R. J. (see G. E. Babcock) . 645
——— (see T. A. McGuire) 324
——— (see W. C. Schaefer) 411
Dix, Marion R. (see Elizabeth M. Osman) 464
Donelson, D. H., and J. T. Wilson. Effect of the relative quantity of flour fractions on cake quality . . 241
———, **and** ———. Studies on the effect of flour-fraction interchange upon cake quality 683
Dubois, M., W. F. Geddes, and F. Smith. The carbohydrates of the Gramineae. X. A quantitative study of the carbohydrates of wheat germ 557

Engebretson, W. E. (see Betty Sul-

livan) 436
Erlander, S. R. The production of amylose and amylopectin in corn endosperms and in potato tubers 81

Farrell, E. P. (see G. M. Grosh) .. 593
Fergason, V. L. (see M. S. Zuber) . 212
Fifield, C. C. (see L. Zeleny) 673
Fleming, J. R., J. A. Johnson, and B. S. Miller. Effect of malting procedure and wheat storage conditions on alpha-amylase and protease activities 363
——, ——, **and** ——. Effect of environment, variety, and class of wheat on alpha-amylase and protease activities of malted wheat 371
Fraser, J. R. (see C. R. Jones) 9

Geddes, W. F. (see M. Dubois) .. 557
—— (see R. L. Glass) 568
—— (see M. Golubchuk) 405
—— (see J. M. Pollock) 19, 30
—— (see J. G. Ponte, Jr.) 263
—— (see R. J. Stenberg) . 614, 623
Glass, R. L. and W. F. Geddes. Grain storage studies. XXXI. Changes occurring in low-molecular-weight compounds in deteriorating wheat 568
—— (see J. G. Ponte, Jr.) 263
Golubchuk, M., L. S. Cuendet, and W. F. Geddes. Grain storage studies. XXX. Chitin content of wheat as an index of mold contamination and wheat deterioration 405
Gracza, R. The subsieve-size fractions of a hard red spring wheat flour produced by air classification 579
Greenaway, W. T. (see L. Zeleny) 673
Griffin, E. L. Jr. (see R. A. Anderson) 180, 334
—— (see C. Vojnovich) ... 422, 576
Grogan, C. O. (see M. S. Zuber) . 212
Grosh, G. M., J. A. Shellenberger, and E. P. Farrell. Milling properties of wheat in relation to pearling, scouring, and impaction 593
Gurney, Georgia M. (see L. Zeleny) 673

Hagberg, S. A rapid method for determining alpha-amylase activity 218
Halick, J. V., H. M. Beachell, J. W. Stansel, and H. H. Kramer. A note on the determination of gelatinization temperatures of rice varieties 670
Hamerstrand, G. E., B. T. Hofreiter, and C. L. Mehltretter. Determination of the extent of reaction between epichlorohydrin and starch 519
Handleman, A. R. (see J. R. Parks) 503
Harris, R. H. (see L. D. Sibbitt) .. 398
Hepburn, F. N., W. K. Calhoun, and W. B. Bradley. The distribution of the amino acids of wheat in commercial mill products 749
—— (see W. K. Calhoun) 755
Hilder, Grace B. (see Ruby R. Little) 456, 475
Hlynka, I. Intercomparison of farinograph absorption obtained with different instruments and bowls 67
——, **and R. R. Matsuo.** Measurement of the improver response in dough 721
—— (see A. H. Bloksma) 352
—— (see W. Bushuk) 141, 343, 390, 573
—— (see H. Matsumoto) 710
Hofreiter, B. T. (see G. E. Hamerstrand) 519

Irvine, G. N., and M. E. McMullan. The "Remix" baking test 603

Johnson, J. A. (see J. R. Fleming) 363, 371
Johnson, R. M. Five proposed methods for determining smut content in wheat 289
Jones, C. R., J. R. Fraser, and T. Moran. Vitamin contents of air-classified high- and low-protein flour fractions 9
Jones, Evelyn M. (see Donna P. Meiske) 483
Jones, Mary F. (see Donna P. Meiske) 483
Jones, R. W. (see W. C. Schaefer) 411

Kennedy, Barbara M., and Adelia R. Sabiston. Quality of the protein in selected baked wheat products 535
Kitterman, S. J., E. F. Seeborg, and M. A. Barmore. A note on the modification of the five-gram milling-quality test and the five-gram micromill 762
Kneen, E. (see W. W. Luchsinger) 525
Kohn, F. E. (see L. Wisebiatt) ... 55
Kramer, H. H. (see J. V. Halick) .. 670
Krishnamurthy, K. (see S. Venkatrao) 93
Kulp, K., and W. G. Bechtel. Effect

of freezing, defrosting, and storage conditions on the freshness of dinner rolls and cinnamon rolls 170

Lancaster, E. B., and V. F. Pfeifer. Pilot-plant preparation of hydroxyethylated flours. 189
——— (see R. A. Anderson) 180
Learmonth, E. M., and J. C. Wood. The influence of soya flour in bread doughs. IV. Alpha-amylase of soya 158
Lebsock, K. (see L. Zeleny) 673
Lee, C. C. Note on the irradiation of flours from thirteen varieties of wheat 78
———, **and D. G. Small.** Studies with radioactive tracers. V. The reduction of S^{35}-labeled persulfate to sulfate in flour and dough systems 280
———, **and R. Tkachuk.** Studies with radioactive tracers. IV. Degrees of reduction of Br^{82}-labeled bromate to bromide by some components of flour . . . 228
Linko, P., Y.-Y. Cheng, and M. Milner. Changes in the soluble carbohydrates during browning of wheat embryos 548
———, **and M. Milner.** Treatment of wheat with ionizing radiations. V. Effect of gamma radiation on some enzyme systems . . 223
———, **and L. Sogn.** Relation of viability and storage deterioration to glutamic acid decarboxylase in wheat 489
Little, Ruby R., and Grace B. Hilder. Differential response of rice starch granules to heating in water at 62°C. 456
———, **and** ———. Differential reaction of milled white rice varieties to a Millon reagent containing trichloroacetic acid and mercuric acetate 475
Luchsinger, W. W., D. G. Cochrane, and E. Kneen. Studies on the endo-beta-glucanase system of barley malt 525

McGuire, T. A., E. M. Craine, and R. J. Dimler. Chromatographic method for fractionating globulins of corn 324
MacMasters, Majel M. (see H. L. Seckinger) 121
——— (see M. S. Zuber) 212
McMullan, M. E. (see G. N. Irvine) 603
Matsumoto, H., I. Oshima, and I. Hlynka. Effect of bisulfite and acetaldehyde on the disulfide linkage in wheat protein 710
Matsuo, R. R. (see I. Hlynka) 721
Mattern, P. J. (see R. M. Sandstedt) 379
Mecham, D. K., H. A. Sokol, and J. W. Pence. The dough-mixing behavior of gluten and other flour fractions treated with N-ethylmaleimide 129
——— (see E. W. Cole) 109
——— (see H. A. Sokol) . . 151, 739
Mehltretter, C. L. (see G. E. Hamerstrand) 519
Meiske, Donna P., Mary F. Jones, and Evelyn M. Jones. The effect of various sugars on the formation and character of gluten . . . 483
Miller, B. S. (see J. R. Fleming) 363, 371
Milner, M. (see P. Linko) 223, 548
Moran, T. (see C. R. Jones) 9

Ng, H., D. J. Reed, and J. W. Pence. Identification of carbonyl compounds in an ethanol extract of fresh white bread 638
Nuggehalli, R. N. (see S. Venkatrao) 97

Oshima, I. (see H. Matsumoto) . . . 710
Osman, Elizabeth M., and Marion R. Dix. Effects of fats and nonionic surface-active agents on starch pastes 464
Ostifachuk, M. (see S. Zalik) 105

Papavizas, G. C., and C. M. Christensen. Grain storage studies. XXIX. Effect of invasion by individual species and mixtures of species of Aspergillus upon germination and development of discolored germs in wheat 197
Parks, J. R., A. R. Handleman, J. C. Barnett, and F. H. Wright. Methods for measuring reactivity of chemical leavening systems. I. Dough rate of reaction 503
Patel, R. D., R. P. Patel, and R. S. Patel. Specific rotation of cereal and legume starches 500
Patel, R. P. (see R. D. Patel) 500
Patel, R. S. (see R. D. Patel) 500
Pence, J .W. (see E. W. Cole) . . . 109
——— (see D. K. Mecham) 129
——— (see H. Ng) 638
——— (see H. A. Sokol) 151, 739
Pfeifer, V. F. (see R. A. Anderson) 180
——— (see E. B. Lancaster) 189
——— (see C. Vojnovich) 422
Pingale, S. V. (see S. Venkatrao) . . 97
Pollock, J. M., and W. F. Geddes. Soy flour as a white bread ingredient. I. Preparation of raw and

heat-treated soy flours, and their effects on dough and bread 19
——, **and** ——. Soy flour as a white bread ingredient. II. Fractionation of raw soy flour and effects of the fractions in bread 30
Pomeranz, Y. Determination of bread crumb color as related to the color of flour used to bake the bread 765
Ponte, J. G., Jr., R. L. Glass, and W. F. Geddes. Studies on the behavior of active dry yeast in breadmaking 263

Rall, J. G. (see J. C. Rankin) 656
Rama Rao, G., H. S. R. Desikachar, and V. Subrahmanyan. The effect of the degree of polishing of rice on nitrogren and mineral metabolism in human subjects 71
Rankin, J. C., J. G. Rall, C. R. Russell, and F. R. Senti. Preparation and properties of hydroxyethylated high-amylose corn starch 656
Reed, D. J. (see H. Ng) 638
Ross, J. W. (see J. A. Thorn) 415
Russell, C. R. (see J. C. Rankin) .. 656

Sabiston, Adelia R. (see Barbara M. Kennedy) 535
Sandstedt, R. M., and P. J. Mattern. Damaged starch. Quantitative determination in flour 379
Schaefer, W. C., C. A. Wilham, R. W. Jones, R. J. Dimler, and F. R. Senti. A note on an improved denaturation test for gluten based on solubility in acetic acid 411
Seckinger, H. L., M. J. Wolf, and Majel M. MacMasters. Hemicelluloses of the cementing layer and of some cell walls of the corn kernel 121
Seeborg, E. F. (see S. J. Kitterman) 762
Senti, F. R. (see G. E. Babcock) .. 645
—— (see J. C. Rankin) 656
—— (see W. C. Schaefer) 411
Shellenberger, J. A. (see G. M. Grosh) 593
Sibbitt, L. D., D. H. Classon, and R. H. Harris. Improved tempering and modified milling techniques for small samples of wheat 398
Small, D. G. (see C. C. Lee) 280
Smith, F. (see M. Dubois) 557
Sogn, L. (see P. Linko) 489
Sokol, H. A., D. K. Mecham, and J. W. Pence. Observations on the reactivity of sulfhydryl groups in wheat flour 151
——, ——, **and** ——. Sulfhydryl losses during mixing of doughs: comparison of flours having various mixing characteristics 739
—— (see D. K. Mecham) 129
Stansel, J. W. (see J. V. Halick) 670
Stenberg, R. J., and W. F. Geddes. Some chemical changes which accompany the browning of canned bread during storage 614
——, **and** ——. Studies on accelerated browning in starch pastes containing various bread ingredients 623
Stone, C. D. (see E. G. Bayfield) 233
Subrahmanyan, V. (see H. S. R. Desikachar) 1
—— (see G. Rama Rao) 71
—— (see S. Venkatrao) 93, 97
Sullivan, Betty, W. E. Engebretson, and M. L. Anderson. The relation of particle size to certain flour characteristics 436
—— (see L. Dahle) 679
Swaminathan, M. (see S. Venkatrao) 93, 97

Thorn, J. A., and J. W. Ross. Determination of yeast growth in doughs 415
Tkachuk, R. (see C. C. Lee) 228
Tobin, R. (see G. E. Babcock) 645

Venkatrao, S., K. Krishnamurthy, M. Swaminathan, and V. Subrahmanyan. Determination of uric acid in wheat flour infested by Tribolium castaneum Duv., using paper chromatography 93
——, **R. N. Nuggehalli, S. V. Pingale, M. Swaminathan, and V. Subrahmanyan.** The effect of infestation by Tribolium castaneum Duv. on the quality of wheat flour 97
Vojnovich, C., R. A. Anderson, and E. L. Griffin, Jr. A note on the enzymatic reduction of protein in high-amylose corn starch 576
——, **V. F. Pfeifer, R. A. Anderson, and E. L. Griffin, Jr.** Vital wheat gluten by drum drying. II. Pilot-plant studies and cost estimates 422
—— (see R. A. Anderson) .. 180, 334

Whistler, R. L., and J. R. Young. Formation of starch in wheat

grain 204
Wilham, C. A. (see W. C. Schaefer) 411
Wilson, J. T. (see D. H. Donelson) 241, 683
Wiseblatt, L. Some aromatic compounds present in oven gases .. 728
———. The violatile organic acids found in dough, oven gases, and bread 734
———, **and F. E. Kohn.** Some volatile aromatic compounds in fresh bread 55
Wolf, M. J. (see H. L. Seckinger). 121
Wood, J. C. (see E. M. Learmonth) 158
Woodhead, A. H., and Catherine A. Wyatt. A polarimetric study of flour diastatic value 543
Wright, F. H. (see J. R. Parks) ... 503
Wyatt, Catherine A. (see A. H. Woodhead) 543

Young, J. R. (see R. L. Whistler).. 204

Zalik, S., and M. Ostafichuk. Note on a method of appraising mixogram data 105
Zeleny, L., W. T. Greenaway, Georgia M. Gurney, C. C. Fifield, and K. Lebsock. Sedimentation value as an index of dough-mixing characteristics in early-generation wheat selections 673
Zuber, M. S., C. O. Grogan, V. L. Fergason, W. L. Deatherage, and Majel M. MacMasters. Some observed secondary effects of high-amylose genes in maize .. 212

SUBJECTS

Page

Absorption
- Effects of variations in, on flour-water farinograms (Bayfield and Stone) ... 233
- Law governing, mathematical form of (Becker) ... 309
- Of liquid water by wheat kernel (Becker) ... 309

Absorption-mobility, in flour; farinograph intercomparison (Hlynka) ... 67

Acetaldehyde; effect of, on disulfide linkage in wheat protein (Matsumoto, Oshima, and Hlynka) ... 710

Acid(s)
- Acetic, for gluten denaturation test (Schaefer, Wilham, Jones, Dimler, and Senti) ... 411
- Aliphatic, volatile; in dough, bread, and oven gases (Wiseblatt) ... 734
- Amino, see **Amino acids;** individual amino acids
- Fatty, see **Fatty acids**
- Keto, hydrazones of, in volatiles of fresh bread (Wiseblatt and Kohn) ... 55
- Thioctic, in flour; presence and probable role of (Dahle and Sullivan) ... 679
- Uric, in infested flour (Venkatrao, Krishnamurthy, Swaminathan, and Subrahmanyan) ... 93

ADY, see **Yeast,** Active dry

Air-classification of flour
- For analysis of particle size range vs. some flour characteristics (Sullivan, Engebretson, and Anderson) ... 436
- Subsieve-size fractions, hard wheat; protein shifting (Gracza) ... 579
- Vitamin content of high- and low-protein fractions (Jones, Fraser, and Moran) ... 9

AMCP, see **Phosphate,** monocalcium, anhydrous

Amino acids (see also individual amino acids)
- In protein of baked wheat products (Kennedy and Sabiston) ... 535
- Of wheat; distribution in mill products (Hepburn, Calhoun, and Bradley) ... 749

Amylase, alpha-
- Activity in malted wheat (Fleming, Johnson, and Miller) ... 371
- In flour and pulverized grain; method for determining activity (Hagberg) ... 218
- Of soya (Learmonth and Wood) 158

Amylase, alpha- and beta-
- In rice grains, destroyed in cooking (Desikachar and Subrahmanyan) ... 1

Amylase activity, alpha-
- In malted wheat
  - effect of various factors on (Fleming, Johnson, and Miller) ... 371
  - effect on, of malting procedure and storage conditions (Fleming, Johnson, and Miller) ... 363
- Method for determining, in flour and pulverized grain (Hagberg) ... 218
- In wheat after gamma irradiation (Linko and Milner) ... 223

Amylograms of wheat starch and malt flour, vs. soya flour (Learmonth and Wood) ... 158

Amylograph studies
- For effect of fats and nonionic surface-active agents on corn starch pastes (Osman and Dix) 464
- With rice, for gelatinization temperature of starch (Halick, Beachell, Stansel, and Kramer) 670

Amylopectin, see under **Starch**

Amylose, see **Starch,** Amylose

Corn, see **Corn starch**

Anhydrous monocalcium phosphate (AMCP)
- Reaction rate of, methods for measuring (Parks, Handleman, Barnett, and Wright) ... 503

Apparatus for tempering wheat samples for modified micromilling (Sibbitt, Classon, and Harris) ... 398

Aroma, see **Flavor of bread; Aromatic compounds**

Aromatic compounds
- In bread (fresh) (Wiseblatt and Kohn) ... 55
- In oven gases (Wiseblatt) ... 728

Ash in flour, vs. particle size range (Sullivan, Engebretson, and Anderson) 436
Aspergillus in stored wheat; effect on germination and development of discolored germs (Papavizas and Christensen) 197

Baked products; protein efficiency in (Kennedy and Sabiston) .. 535
Baking; losses in protein quality due to (Kennedy and Sabiston) 535
Baking tests
Bread
for aromatic compounds in oven gases (Wiseblatt) 728
bromate disappearance during baking (Bushuk and Hlynka) 573
for crumb color study (Pomeranz) 765
for effect of soy flours (Pollock and Geddes) 19
from infested flour (hard wheat, Indian) (Venkatrao, Nuggehalli, Pingale, Swaminathan, and Subrahmanyan) 97
for recovering volatile aromatic compounds (Wiseblatt and Kohn) 55
"Remix," to measure flour strength (Irvine and McMullan) 603
from soy flour fractions (Pollock and Geddes) 30
Cake
for effect of flour-fraction interchange on quality (Donelson and Wilson) 683
for effect of relative quantity of flour fractions on quality (Donelson and Wilson) 241
With gluten (drum-dried) from various flours (Vojnovich, Pfeifer, Anderson, and Griffin) 422
With gluten balls, for effect of various sugars on gluten formation and character (Meiske, Jones, and Jones). 483
Rolls, for effect of freezing on freshness and firmness (Kulp and Bechtel) 170
Barley malt, see **Malt**, barley
Batter process, see **Continuous batter process**
Biscuits, baking-powder; protein efficiency in (Kennedy and Sabiston) 535
Bisulfite; effect on disulfide linkage in wheat protein (Matsumoto, Oshima, and Hlynka) 710
Bread (see also succeeding Bread entries; **Baking tests; Dough**)
Aliphatic acids (volatile) in (Wiseblatt) 734
Aromatic compounds in condensed from oven gases (Wiseblatt) 728
volatile (Wiseblatt and Kohn) 55
Bromate in, disappearance of during baking (Bushuk and Hlynka) 573
Canned, browning of during storage; chemical changes (Stenberg and Geddes) ... 614
Effects of soy flours on fractions of (Pollock and Geddes) 30
heat-treated and raw (Pollock and Geddes) 19
Flavor of, see **Flavor of bread**
Rolls (dinner and cinnamon); effect of freezing, defrosting, and storage on freshness (Kulp and Bechtel) 170
Bread crumb; color of, vs. color of flour used (Pomeranz) 765
Breadmaking
Effect of soya flour in (Learmonth and Wood) 158
Yeast behavior in, ADY vs. compressed (Ponte, Glass, and Geddes) 263
Bromate (see also under **Flour improvers**)
In bread, disappearance during baking (Bushuk and Hlynka) 573
Potassium
effect on sulfhydryl content of doughs (Sokol, Mecham, and Pence) 151
reaction in dough; kinetic studies (Bushuk and Hlynka) 141
Potassium, Br^{82}-labeled; reduction to bromide in bread by flour compounds (Lee and Tkachuk) 228
Reaction of in dough, inhibition and activation studies (Bushuk and Hlynka) 343
Bromide; in bread, reduced from Br^{82}-labeled bromate by flour compounds (Lee and Tkachuk) 228
Browning
Of bread (canned); chemical changes during storage (Stenberg and Geddes) 614
In starch pastes containing various bread ingredients (Stenberg and Geddes) 623

Cake (see also succeeding entries)
Quality of; effect of flour-fraction interchange on (Donelson

and Wilson) 683
Cake baking, see **Baking tests, Cake**
Cake flour fractions
Effect of interchange on cake quality (Donelson and Wilson) 683
Effect of relative quantity on cake quality (Donelson and Wilson) 241
Calcium, from rice; affected by degree of polishing (Rama Rao, Desikachar, and Subrahmanyan) 71
Carbohydrates
Amylose, in corn; gene study (Zuber, Grogan, Fergason, Deatherage, and MacMasters) 212
Amylose and amylopectin production in corn endosperms and potato tubers (Erlander) 81
in wheat starch from plants given sucrose-C^{14} or $C^{14}O_2$ (Whistler and Young) 204
Hemicelluloses, in corn cell-walls and cementing layer (Seckinger, Wolf, and MacMasters) 121
Soluble, in wheat embryos; changes during browning (Linko, Cheng, and Milner) 548
Sugars (see also **Sugar (s)**; individual sugars)
effect on formation and character of gluten (Meiske, Jones, and Jones) 483
reducing, formed in wheat stored in nitrogen; nature of (Glass and Geddes) 568
Of wheat germ, quantitative study (Dubois, Geddes, and Smith) 557
Carbon dioxide, radioactive ($C^{14}O_2$)
As tracer for amylose and amylopectin in wheat plants (Whistler and Young) 204
Carbonyl compounds in bread
Ethanol extract of; identification (Ng, Reed, and Pence) 638
Volatiles converted to DNPH's (Wiseblatt and Kohn) 55
Catalase activity method (proposed); for determining smut content in wheat (Johnson) .. 289
Cereals and cereal products; starches of (defatted), specific rotation (Patel, Patel, and Patel) 500
Chitin, in wheat (stored); index to deterioration and mold contamination (Golubchuk, Cuendet, and Geddes) 405
Chromatographic studies
For browning in starch pastes containing bread ingredients (Stenberg and Geddes) 623
For carbohydrates (soluble) in wheat germ and intact grains (Linko, Cheng, and Milner) .. 548
For carbonyl compounds in bread (Wiseblatt and Kohn) .. 55
(Ng, Reed, and Pence) 638
Of corn hemicelluloses (Seckinger, Wolf, and MacMasters) 121
For fractionating globulins of corn (McGuire, Craine, and Dimler) 324
For sugars in wheat germ (Dubois, Geddes, and Smith) 557
Of sugars (reducing) formed in wheat stored in nitrogen (Glass and Geddes) 568
For uric acid in infested flour (Venkatrao, Krishnamurthy, Swaminathan, and Subrahmanyan) 93
Vapor-phase, for aliphatic acids (volatile) in dough, oven gases, and bread (Wiseblatt) 734
Color of bread crumb, vs. color of flour used (Pomeranz) 765
Compounds (see also **Aromatic compounds; Carbonyl compounds**)
Low-molecular-weight, in deteriorating wheat; changes in (Glass and Geddes) 568
Continuous batter process, for gluten and starch separation from wheat flour; pilot-plant study (Anderson, Pfeifer, Lancaster, Vojnovich, and Griffin) 180
Cookie diameter, see **Cookie quality**
Cookie quality
Effect on, of flour lipids (Cole, Mecham, and Pence) 109
Protein efficiency in cookies (Kennedy and Sabiston) 535
Cooking quality of rice; old (stored) and new compared (Desikachar and Subrahmanyan) ... 1
Corn
Breeding of, for high-amylose strains (Zuber, Grogan, Fergason, Deatherage, and MacMasters) 212
Endosperms of, amylose and amylopectin produced in (Erlander) 81
Globulins of, fractionation by chromatography (McGuire, Craine, and Dimler) 324
Hemicelluloses of, in cell walls and cementing layer (Seck-

inger, Wolf, and MacMasters) 121
High-amylose
genes; secondary effects (Zuber, Grogan, Fergason, Deatherage, and MacMasters) 212
wet-milling characteristics, vs. dent type (Anderson, Vojnovich, and Griffin) 334
Corn flour, hydroxyethylated; pilot-plant preparation of (Lancaster and Pfeifer) 189
Corn starch
Cross-linking of, extent defined by epichlorohydrin-starch reaction (Hamerstrand, Hofreiter and Mehltretter) ... 519
High-amylose
enzymatic reduction of protein in (Vojnovich, Anderson, and Griffin) 576
hydroxyethylated; preparation and properties of (Rankin, Rall, Russell, and Senti) ... 656
wet-milled (Anderson, Vojnovich, and Griffin) 334
Particle size of, in aqueous dispersions; effect of shearing forces on (Babcock, Tobin, Dimler, and Senti) 645
Pastes of; effect on, of fats and nonionic surface-active agents (Osman and Dix) ... 464

Decarboxylase
Activity in wheat after gamma irradiation (Linko and Milner) 223
Glutamic acid-, in wheat, vs. viability and storage deterioration (Linko and Sogn) 489
Dehydrogenase; activity of, in wheat after gamma irradiation (Linko and Milner) 223
Deterioration of wheat
Changes in low-molecular-weight compounds during (Glass and Geddes) 568
Chitin content as index to (Golubchuk, Cuendet, and Geddes) 405
Relation to glutamic acid decarboxylase (Linko and Sogn) .. 489
Diastatic value of flour, polarimetric study (Woodhead and Wyatt) 543
2,4 - Dinitrophenylhydrazones (DNPH's)
In bread extract (ethanol); identification (Ng, Reed, and Pence) 638
Carbonyl compounds identified via (Wiseblatt and Kohn) 55
Disulfide linkage, in wheat protein; effect of bisulfite and acetaldehyde on (Matsumoto, Oshima, and Hlynka) 710
DNPH's, see **2,4-Dinitrophenylhydrazones**
Dough(s)
Aliphatic acids (volatile) in (Wiseblatt) 734
Brew and sponge, study of yeast growth in (Thorn and Ross) 415
Bromate in
inhibition and activation studies (Bushuk and Hlynka) 343
measurement of response (Hlynka and Matsuo) 721
Bromate reaction in; kinetic studies (Bushuk and Hlynka) 141
Effect of soy flours on (heat-treated and raw) (Pollock and Geddes) 19
Gluten, NEMI-treated, mixing behavior of (Mecham, Sokol, and Pence) 129
Mixing of (see also Remixing of); sulfhydryl losses during (Sokol, Mecham, and Pence) .. 739
Mixing properties of
from air-classified flour fractions (hard wheat) (Gracza) 579
sedimentation value as index of (Zeleny, Greenaway, Gurney, Fifield, and Lebsock) 673
Persulfate (S^{35}-labeled) reduced to sulfate in (Lee and Small) 280
Remixing of (unleavened); effect on structural relaxation (Bloksma and Hlynka) ... 352
Sulfhydryl content of, effect of potassium bromate on (Sokol, Mecham, and Pence) .. 151
Yeast behavior in (ADY) (Ponte, Glass, and Geddes) 263
Dough reaction rate; in chemical leavening systems, measurement of (Parks, Handleman, Barnett, and Wright) 503
Drying, drum-, of vital wheat gluten (Vojnovich, Pfeifer, Anderson, and Griffin) 422

Eggs, in baked wheat products; effect on protein efficiency (Kennedy and Sabiston) 535
Enzyme(s) (see also specific enzymes)
Debranching (proposed); in starch production by plants (Erlander) 81

Glucanase (endo-beta-); system in barley malt (Luchsinger, Cochrane, and Kneen) 525
Inactivated in rice during cooking (Desikachar and Subrahmanyan) 1
For measuring damaged starch in flour (Sandstedt and Mattern) 379
Protein reduction by, in high-amylose corn starch (Vojnovich, Anderson, and Griffin) .. 576
Starch-liquefying, in soy flour (Learmonth and Wood) 158
Enzyme activity, catalase; proposed method, for determining smut content in wheat (Johnson) 289
Enzyme systems, in wheat grains; effect of gamma irradiation on (Linko and Milner) 223
Epichlorohydrin-starch reaction, to define extent of cross-linking (Hamerstrand, Hofreiter, and Mehltretter) 519
Experimental design, for cake volume study with flour fractions (Donelson and Wilson) 241
Extensigraph studies
For effect of remixing on structural relaxation (Bloksma and Hlynka) 352
With fractions (subsieve-size) of air-classified HRS flour (Gracza) 579
For yeast behavior (Ponte, Glass, and Geddes) 263

Farinograph studies
For absorption intercomparison with different instruments and bowls (Hlynka) 67
For effect of absorption and temperature on flour-water doughs (Bayfield and Stone) .. 233
For effect of bisulfite and acetaldehyde on disulfide linkage in wheat protein (Matsumoto, Oshima, and Hlynka) 710
For effect of soy flours, raw and heat-treated, on dough and bread (Pollock and Geddes) .. 19
With fractions (subsieve-size) of air-classified HRS flour (Gracza) 579
For sulfhydryl losses during dough mixing; flours compared (Sokol, Mecham, and Pence) . 739
Fat; effect of, on corn starch pastes (Osman and Dix) 464
Fat acidity, in wheat (stored); vs. chitin content and molds in (Golubchuk, Cuendet, and Geddes) 405
Fatty acids, in flour; study of bromate-to-bromide reduction (Lee and Tkachuk) 228
Fermentation
Brew and sponge processes; study of yeast growth in (Thorn and Ross) 415
Continuous batter process; pilot-plant study (Anderson, Pfeifer, Lancaster, Vojnovich, and Griffin) 180
Flavor of bread
From aromatic compounds in oven gases (Wiseblatt) ... 728
volatile (Wiseblatt and Kohn) 55
Carbonyl compounds contributing to (Ng, Reed, and Pence) 638
Flour(s) (see also **Flour fractions; Flour improvers**)
Absorption-mobility study (Hlynka) 67
Alpha-amylase activity in (rye and wheat); method for determining (Hagberg) 218
Amino acids of wheat in; distribution (Hepburn, Calhoun, and Bradley) 749
Compounds of, in bread; reducing Br^{82}-labeled bromate to bromide (Lee and Tkachuk) 228
Cake, see Cake entries
Cookie, see Cookie entries
Damaged starch in; quantitative determination — proposed method (Sandstedt and Mattern) 379
Diastatic value of, polarimetric study (Woodhead and Wyatt) 543
From gamma-irradiated wheat; gluten recovery and maltose value (Lee) 78
Gluten recovery from, by continuous batter process; pilot-plant study (Anderson, Pfeifer, Lancaster, Vojnovich, and Griffin) 180
Hyroxyethylated, pilot-plant preparation of (Lancaster and Pfeifer) 189
Infested
changes in chemical composition (Venkatrao, Nuggehalli, Pingale, Swaminathan, and Subrahmanyan) 97
uric acid in (Venkatrao, Krishnamurthy, Swaminathan, and Subrahmanyan) 93
Lipid-free, for cookies; effect on, of flour lipids and deriva-

tives (Cole, Mecham, and Pence) ... 109
Maturing agents for, see **Flour improvers**
Particle size of
hard wheat (Gracza) ... 579
hydroxyethylated flour, pilot-plant study (Lancaster and Pfeifer) ... 189
ranges, vs. certain characteristics (Sullivan, Engebretson, and Anderson) ... 436
Protein efficiency in (Kennedy and Sabiston) ... 535
Rye and wheat; alpha-amylase activity in, method for determining (Hagberg) ... 218
Sorghum, hydroxyethylated; pilot-plant preparation of (Lancaster and Pfeifer) ... 189
Soybean
alpha-amylase of; starch-liquefying (Learmonth and Wood) ... 158
fractionation of, and its effect in bread (Pollock and Geddes) ... 30
heat-treated and raw; preparation, and effects on dough and bread (Pollock and Geddes) ... 19
Strength of, by "Remix" baking test (Irvine and McMullan) 603
Sulfhydryl groups in; reactivity (Sokol, Mecham, and Pence) 151
Thioctic acid in; probable role of (Dahle and Sullivan) ... 679
Flour fractions (see also **Fractionation**)
Air-classified, vitamin content of (Jones, Fraser, and Moran) 9
Amino acids of wheat in; distribution (Hepburn, Calhoun, and Bradley) ... 749
Cake; effect of relative quantity on cake quality (Donelson and Wilson) ... 241
Gluten (and others), NEMI-treated; dough-mixing behavior (Mecham, Sokol, and Pence) ... 129
HRS wheat, subsieve-size, air-classified; physical tests and study of protein shifting (Gracza) ... 579
Interchanged, effect on cake quality (Donelson and Wilson) ... 683
Reconstitution of
in cake-baking study for effect of fraction interchange on quality (Donelson and Wilson) ... 683
in cookie-baking study with lipid-free flours (Cole, Mecham, and Pence) ... 109
Soy, effects in bread (Pollock and Geddes) ... 30
Flour improvers
Bromate
response of; measurement in dough (Hlynka and Matsuo) 721
in soy flour bread, differential effects (Pollock and Geddes) 30
Bromate, iodate; effect on loaf volume of bread made with compressed vs. ADY (Ponte, Glass, and Geddes) ... 263
Bromate, iodate, NEMI; remixing study (Bloksma and Hlynka) ... 352
Bromate–potassium; in "Remix" test for flour strength (Irvine and McMullan) ... 603
Chlorine dioxide, iodate, and oxygen vs. bromate: inhibition and inactivation studies (Bushuk and Hlynka) ... 343
Thioctic acid, probable role as (Dahle and Sullivan) ... 679
Fractionation (see also **Flour fractions**)
Of corn globulins by chromatography (McGuire, Craine, and Dimler) ... 324
Of flour lipids, for cookie-baking (Cole, Mecham, and Pence) 109
Of soybean flour (Pollock and Geddes) ... 30
Freezing studies, with bread (rolls); effect of conditions on freshness and firmness (Kulp and Bechtel) ... 170
Fungi, in stored wheat; effect on germination and development of discolored germs (Papavizas and Christensen) ... 197

Gamma irradiation, see **Irradiation**
Gas production in dough; with soy flour fractions (Pollock and Geddes) ... 30
Gassing power in flour, vs. particle size range (Sullivan, Engebretson, and Anderson) ... 436
Gelatinization of starch, see **Starch,** Gelatinization of
Germ damage in wheat invaded by Aspergillus spp. (Papavizas and Christensen) ... 197
Germination
Of stored wheat, effect of Aspergillus spp. on (Papavizas and Christensen) ... 197

Of wheat treated with gamma radiation (Linko and Milner) 223
Globulins of corn, fractionation by chromatography (McGuire, Craine, and Dimler) 324
Glucanase (endo-beta-), from barley malt; studies on system (Luchsinger, Cochrane, and Kneen) 525
Glutamic acid decarboxylase in wheat, vs. viability and storage deterioration (Linko and Sogn) 489
Gluten (see also **Flour fractions**)
Denaturation test for (Schaefer, Wilham, Jones, Dimler, and Senti) 411
Dough-mixing behavior of, NEMI-treated (Mecham, Sokol, and Pence) 129
Drum-dried (vital); pilot-plant study, cost estimates (Vojnovich, Pfeifer, Anderson, and Griffin) 422
Effect of sugars on formation and character of (Meiske, Jones, and Jones) 483
From flour before and after gamma irradiation (Lee) 78
Recovery from wheat flour by continuous batter process; pilot-plant study (Anderson, Pfeifer, Lancaster, Vojnovich, and Griffin) 180
Vital, by drum drying; pilot-plant studies, cost estimates (Vojnovich, Pfeifer, Anderson, and Griffin) 422
From wet-milled high-amylose corn (Anderson, Vojnovich, and Griffin) 334
Grain, pulverized; method for determining alpha-amylase activity in (Hagberg) 218
Griddlecakes, protein efficiency in (Kennedy and Sabiston) 535

Heat-alteration of rice starch granules (Little and Hilder) 456
Heat-inactivation of malt endo-beta-glucanases (Luchsinger, Cochrane, and Kneen) 525
Heat-treatment
Of soy flour, effect on dough and bread (Pollock and Geddes) 19
Of soy flour fractions, effect on loaf volume of bread (Pollock and Geddes) 30
Hemicelluloses, see **Carbohydrates**
Hydrogen-ion concentration, effect on bromate reaction in dough (Bushuk and Hlynka) 141
Hydroxyethylation of corn starch, high-amylose (Rankin, Rall, Russell, and Senti) 656

Impaction of wheat, effect on milling properties (Grosh, Shellenberger, and Farrell) 593
Infestation, see **Insects**
Insects
Tribolium castaneum Duv., infesting wheat flour
effect on flour quality (Venkatrao, Nuggehalli, Pingale, Swaminathan, and Subrahmanyan) 97
uric acid determination (Venkatrao, Krishnamurthy, Swaminathan, and Subrahmanyan) 93
Iodate, see under **Flour improvers**
Iodoacetamide (IAC), reaction with sulfhydryl groups in wheat flour (Sokol, Mecham, and Pence) 151
Ions, inorganic; inhibiting bromate reaction in dough (Bushuk and Hlynka) 343
Ionizing radiation(s), see **Irradiation**
Irradiation, gamma
Of flours from 13 varieties of wheat; gluten recoveries and maltose values (Lee) 78
Of wheat; effect on some enzyme systems (Linko and Milner) 223

Kinetic studies of bromate reaction in dough (Bushuk and Hlynka) 141

Leavening systems; reaction rate of, methods for measuring (Parks, Handleman, Barnett, and Wright) 503
Legumes, starches of (defatted); specific rotation (Patel, Patel, and Patel) 500
Light-darkness
Role in starch production by plants (Erlander) 81
Study in wheat plants given sucrose-C^{14} or $C^{14}O_2$ (Whistler and Young) 204
Light methods (proposed): absorption, reflectance, transmittance; for determining smut content in wheat (Johnson) 289
Lipid(s), in flour; effect on cookie-baking characteristics of lipid-free flours (Cole, Mecham, and Pence) 109

Loaf volume (see also **Bread**); of bread containing heat-treated soy flour (Pollock and Geddes) 19

Maillard reaction, see **Browning**
Maize, see **Corn**
Malt, barley; endo-beta-glucanase system of (Luchsinger, Cochrane, and Kneen) 525
Malting procedure, with wheat; effect on enzyme activity (Fleming, Johnson, and Miller) 363
Maltose, produced from damaged starch (Sandstedt and Mattern) 379
Maltose value
In flour
before and after gamma irradiation (Lee) 78
vs. particle size range (Sullivan, Engebretson, and Anderson) 436
In wheat, after gamma irradiation (Linko and Milner) 223
Methods
Appraising mixogram data (Zalik and Ostafichuk) 105
Catalase-activity (proposed), and light methods; for determining smut content in wheat (Johnson) 289
Chromatographic, see **Chromatographic studies**
For determining alpha-amylase activity of flour and pulverized grain (Hagberg) 218
For measuring damaged starch in flour (proposed) (Sandstedt and Mattern) 379
For measuring reactivity of chemical leavening systems (Parks, Handleman, Barnett, and Wright) 503
Micromilling, see **Milling, Experimental**
Microscope studies
Of flour fractions and protein particle granules (Gracza) 579
Of hydroxyethylated corn starches (high-amylose) (Rankin, Rall, Russell, and Senti) 656
Of rice starch granules
alteration after Millon treatment (Little and Hilder) 475
for heat-alteration process (Little and Hilder) 456
Of wheat starch granules (Sandstedt and Mattern) 379
Milk in baked wheat products, effect on protein efficiency (Kennedy and Sabiston) 535
Milk, nonfat dry; effect on behavior of chemical leavening agents (Parks, Handleman, Barnett, and Wright) 503
Milling, experimental
Five-gram micromill (Kitterman, Seeborg, and Barmore) 762
Wheat; improved techniques for (Sibbitt, Classon, and Harris) 398
Wheat; properties vs. pearling, scouring, and impaction (Grosh, Shellenberger, and Farrell) 593
Milling products of wheat; distribution of amino acids in (Hepburn, Calhoun, and Bradley) 749
Milling quality of wheat; test for, 5-g., modified (Kitterman, Seeborg, and Barmore) 762
Mineral metabolism, in rice diet; effect on, of degree of polishing (Rama Rao, Desikachar, and Subrahmanyan) 71
Mixing of dough, see **Dough(s), Mixing of; Mixing properties of**
Mixogram method of appraising data (Zalik and Ostafichuk) 105
Mixograph studies
With gluten and other flour fractions, for effect of NEMI (Mecham, Sokol, and Pence) 129
Of wheats, for sedimentation value (Zeleny, Greenaway, Gurney, Fifield, and Lebsock) 673
Moisture in wheat; sorption and desorption affecting weight and volume changes (Bushuk and Hlynka) 390
Molds (see also **Fungi**); in stored wheat, vs. chitin content (Golubchuk, Cuendet, and Geddes) 405
Muffins: protein efficiency in (Kennedy and Sabiston) 535

NEMI, see **N-ethylmaleimide**
N-ethylmaleimide (NEMI)
Dough-mixing behavior of gluten and other flour fractions modified by (Mecham, Sokol, and Pence) 129
Inhibiting bromate reaction in dough (Bushuk and Hlynka) 343
Reaction with sulfhydryl groups in wheat flour (Sokol, Mecham, and Pence) 151
In remixing study (Bloksma and Hlynka) 352
Niacin
In flour fractions (air-classified), high- and low-protein (Jones, Fraser, and Moran) 9

In rice, Korean (Bailey) 103
Nitrogen metabolism, in rice diet; effect on, of degree of polishing (Rama Rao, Desikachar, and Subrahmanyan) 71
Nutritive value of rice; effect of degree of polishing on nitrogen and mineral metabolism (Rama Rao, Desikachar, and Subrahmanyan) 71

Oil (see also **Shortening**), soybean; effect on corn starch pastes (Osman and Dix) 464
Oven gases
Aliphatic acids (volatile) in (Wiseblatt) 734
Aromatic compounds in (Wiseblatt) 728
Oxidizing agents, see **Flour improvers**

Pantothenic acid in flour fractions (air-classified), high- and low-protein (Jones, Fraser, and Moran) 9
Papain; protein in high-amylose corn reduced by (Vojnovich, Anderson, and Griffin) 576
Para-chloromercuribenzoate (PCMBA)
Reaction with sulfhydryl groups in wheat flour (Sokol, Mecham, and Pence) 151
Particle size, see under **Cake flour; Flour**
Paste(s)
Clarity and viscosity of, from hydroxyethylated high-amylose corn (Rankin, Rall, Russell, and Senti) 656
Corn starch-, effect of fats and nonionic surface-active agents on (Osman and Dix) 464
Wheat starch-, browning in (Stenberg and Geddes) 623
PCMBA, see **Para-chloromercuribenzoate**
Pearling of wheat; effect on milling properties (Grosh, Shellenberger, and Farrell) 593
Persulfate, radioactive (S^{35}-labeled); reduced to sulfate in doughs (Lee and Small) 280
pH, see **Hydrogen-ion concentration**
Phosphate, monocalcium, anhydrous (AMCP); methods for measuring reaction rate of (Parks, Handleman, Barnett, and Wright) 503
Phosphate leaveners, see **Phosphate; Leavening systems**
Phosphorus, from rice; effect of degree of polishing on human metabolism (Rama Rao, Desikachar, and Subrahmanyan) 71
Photomicrographs, see **Microscope studies**
Pilot-plant studies
On continuous batter process to recover gluten from wheat flour (Anderson, Pfeifer, Lancaster, Vojnovich, and Griffin) 180
Of hydroxyethylated flours (Lancaster and Pfeifer) 189
Polarimetry; for flour diastatic value (Woodhead and Wyatt) 543
Polysaccharides, see **Carbohydrates**
Protease activity
In malted wheat
effect on, of environment, variety, and wheat class (Fleming, Johnson, and Miller) 371
effect on, of malting procedure and storage conditions (Fleming, Johnson, and Miller) 363
In wheat after gamma irradiation (Linko and Milner) 223
Protein(s) (see also succeeding Protein entries)
In air-classified flour fractions; vitamin study (Jones, Fraser, and Moran) 9
In corn endosperm; gene study (Zuber, Grogan, Fergason, Deatherage, and MacMasters) 212
Corn globulins, chromatographic method for fractionating (McGuire, Craine, and Dimler) 324
In corn starch (high-amylose); enzymatic reduction of (Vojnovich, Anderson, and Griffin) 576
In flour
breakdown by gamma irradiation (Lee) 78
vs. particle size range (Sullivan, Engebretson, and Anderson) 436
In flour fractions
air-classified HRS wheat, vs. particle size critical cut (Gracza) 579
vs. cake quality (Donelson and Wilson) 683
In starch of wet-milled high-amylose corn (Anderson, Vojnovich, and Griffin) ... 334
Of wheat, disulfide linkage in;

effect of bisulfite and acetaldehyde on (Matsumoto, Oshima, and Hlynka) 710
Protein efficiency, in baked wheat products (Kennedy and Sabiston) 535
Protein quality, see **Protein efficiency**
Protein shifting, within fractions of air-classified hard wheat flour (Gracza) 579
Pyridoxine in flour fractions (air-classified), high- and low-protein (Jones, Fraser, and Moran) 9

Radiation, see **Irradiation; Radioactivity**
Radioactive C and CO_2, injected into wheat plants; effect on starch formation in grain (Whistler and Young) 204
Radioactive isotopes, see **Radioactivity**
Radioactive tracers, see **Radioactivity**
Radioactivity
In bread; reduction of Br^{82}-labeled bromate to bromide by flour compounds (Lee and Tkachuk) 228
Persulfate (S^{35}-labeled) reduced to sulfate in flour and dough systems (Lee and Small) 280
In wheat plants given sucrose-C^{14} or $C^{14}O_2$; effect on starch formation in grain (Whistler and Young) 204
Rheology of dough; study of ADY behavior (Ponte, Glass, and Geddes) 263
Riboflavin
In flour fractions (air-classified), high- and low-protein (Jones, Fraser, and Moran) 9
In rice, Korean (Bailey) 103
Rice
Cooking quality, of old (stored) and new, compared (Desikachar and Subrahmanyan) ... 1
Effect of degree of polishing on nitrogen and mineral metabolism (human) (Rama Rao, Desikachar, and Subrahmanyan) . 71
Gelatinization temperature of, determination (Halick, Beachell, Stansel, and Kramer) .. 670
Korean, vitamin content of (Bailey) 103
Starch granules of, response to heating in water (Little and Hilder) 456
Stored, effect of enzymatic and physical changes on cooking quality (Desikachar and Subrahmanyan) 1
Rice flour, from different rice varieties; reaction to Millon reagent (Little and Hilder) 475
Rolls, see under **Bread**

Salts, effect on quality of bread made from soy flour fractions (Pollock and Geddes) 30
SAPP, see **Sodium acid pyrophosphate**
Scouring of wheat, effect on milling properties (Grosh, Shellenberger, and Farrell) 593
Sedimentation method (proposed), for determining smut content of wheat (Johnson) 289
Sedimentation value as index of dough-mixing properties (Zeleny, Greenaway, Gurney, Fifield, and Lebsock) 673
Shortening; effect of, on corn starch pastes (Osman and Dix) 464
Smut in wheat, see **Wheat,** Smut content in
Sodium acid pyrophosphate (SAPP); reaction rate of, methods for measuring (Parks, Handleman, Barnett, and Wright) 503
Sorghum flour, see **Flour(s),** Sorghum
Sorption, see **Water sorption . . .**
Soy flour, see **Flour(s),** Soybean
Soybean(s)
Alpha-amylase activity in (Learmonth and Wood) 158
Starch-liquefying enzyme in (Learmonth and Wood) 158
Soybean oil; effect on corn starch pastes (Osman and Dix) 464
Specific rotation of cereal and legume starches (Patel, Patel, and Patel) 500
Starch(es)
Amylose and amylopectin produced in corn endosperms and potato tubers (Erlander) 81
in wheat starch from plants given sucrose C^{14} or $C^{14}O_2$ (Whistler and Young) 204
Corn, see **Corn starch**
Cross-linking of; extent defined by reaction with epichlorohydrin (Hamerstrand, Hofreiter, and Mehltretter) 519
Crude, recovery in continuous batter process; pilot-plant study (Anderson, Pfeifer, Lancaster, Vojnovich, and Griffin) 180

Damaged; quantitative determination in flour; proposed method (Sandstedt and Mattern) ... 379
Formation in wheat grain from plants given sucrose-C^{14} or $C^{14}O_2$ (Whistler and Young) 204
Gelatinization of
rice; temperatures of, by varieties (Halick, Beachell, Stansel, and Kramer) ... 670
role in determining alpha-amylase activity in flour (Hagberg) ... 218
Rice; gelatinization temperatures of, determination (Halick, Beachell, Stansel, and Kramer) ... 670
Specific rotation of (Patel, Patel, and Patel) ... 500
Synthesis of, in corn and potatoes (Erlander) ... 81

Starch granule(s)
Photomicrographs of (Gracza) ... 579
(Sandstedt and Mattern) ... 379
(Little and Hilder) ... 475
Rice
alteration after Millon treatment (Little and Hilder) ... 475
heat-alteration values (Little and Hilder) ... 456

Starch-liquefying enzyme in soy flour (Learmonth and Wood) 158

Storage studies
With bread
chemical changes accompanying browning (Stenberg and Geddes) ... 614
for effect on crumb color (Pomeranz) ... 765
Freezing, see **Freezing studies**
With rice; effect of enzymatic and physical changes on cooking quality (Desikachar and Subrahmanyan) ... 1
With rolls (dinner and cinnamon), for effect on freshness (Kulp and Bechtel) ... 170
With wheat
chitin content vs. deterioration and mold contamination (Golubchuk, Cuendet, and Geddes) ... 405
deteriorating; changes in low-molecular-weight compounds in (Glass and Geddes) ... 568
effect of Aspergillus spp. on germination and development of discolored germs (Papavizas and Christensen) 197
effect of conditions on enzyme activity (Fleming, Johnson, and Miller) ... 363
viability vs. glutamic acid decarboxylase (Linko and Sogn) ... 489
With wheat embryos; changes in soluble carbohydrates of during browning (Linko, Cheng, and Milner) ... 548

Structural relaxation of dough; effect of remixing on (Bloksma and Hlynka) ... 352

Sucrose-C^{14}, injected into wheat plants; effect on starch formation (Whistler and Young) ... 204

Sugar(s) (see also individual sugars)
Effect on formation and character of gluten (Meiske, Jones, and Jones) ... 483
Reducing; formed in wheat stored in nitrogen; nature of (Glass and Geddes) ... 568
In soy flour fractions and raw soy flour (Pollock and Geddes) ... 30
In wheat germ
changes in during browning (Linko, Cheng, and Milner) 548
quantitative study (Dubois, Geddes, and Smith) ... 557

Sulfate; from persulfate (S^{35}-labeled); reduction in doughs (Lee and Small) ... 280

Sulfhydryl
Losses of, during dough mixing (Sokol, Mecham, and Pence) 739
In study of disulfide linkage in wheat protein (Matsumoto, Oshima, and Hlynka) ... 710

Sulfhydryl groups
Reactivity of, in wheat flour (Sokol, Mecham, and Pence) 151
Role in dough-mixing behavior of NEMI-treated flour fractions (Mecham, Sokol, and Pence) ... 129

Surface-active agents, nonionic; effect on corn starch pastes (Osman and Dix) ... 464

Temperature
Effect on browning of stored canned bread (Stenberg and Geddes) ... 614
Effects of variations on flour-water farinograms (Bayfield and Stone) ... 233
Of yeast rehydration (ADY); effect on doughs (Ponte, Glass, and Geddes) ... 263

Tempering of wheat
Improved techniques for (Sib-

bitt, Classon, and Harris) 398
For study of absorption of liquid water (Becker) 309
Thiamine
In flour fractions (air-classified), high- and low-protein (Jones, Fraser, and Moran) 9
From rice; effect on, of degree of polishing (Rama Rao, Desikachar, and Subrahmanyan) 71
In rice, Korean (Bailey) 103
Tribolium castaneum Duv., infesting wheat flour
Changes in chemical composition caused by (Venkatrao, Nuggehalli, Pingale, Swaminathan, and Subrahmanyan) 97
vs. Uric acid content (Venkatrao, Krishnamurthy, Swaminathan, and Subrahmanyan) 93
Trichloroacetic acid-Millon reagent; differential reaction of rice varieties to (Little and Hilder) 475
Trypsin; protein in high-amylose corn starch reduced by (Vojnovich, Anderson, and Griffin) 576

Unleavened dough; effect of remixing on structural relaxation of (Bloksma and Hlynka) 352

Varietal studies
Rice
for gelatinization temperatures (Halick, Beachell, Stansel, and Kramer) 670
milled; for reaction to Millon reagent (Little and Hilder) 475
for response of starch granules to heating in water at 62°C. (Little and Hilder) 456
Wheat
for flour strength, by "Remix" test (Irvine and McMullan) 603
gamma-irradiated flours from; gluten recovery and maltose value (Lee) 78
malted; effect of various factors on enzyme activity of (Fleming, Johnson, and Miller) 371
stored; chitin content vs. deterioration and mold contamination (Golubchuk, Cuendet, and Geddes) 405
Viability
Of wheat
effects of gamma irradiation on (Linko and Milner) 223
vs. glutamic acid decarboxylase (Linko and Sogn) 489
Viscosity; in dough, vs. flour particle size range (Sullivan, Engebretson, and Anderson) 436
Vital wheat gluten, see **Gluten, Vital**
Vitamins (see also specific vitamins)
In air-classified flour fractions (Jones, Fraser, and Moran) 9
B content of Korean rice (Bailey) 103
Distribution, in milling products of wheat (Calhoun, Hepburn, and Bradley) 735

Water absorption, by wheat kernel (Becker) 309
Water sorption and desorption; affecting weight and volume of wheat (Bushuk and Hlynka) 390
Wet-milling of high-amylose corn; characteristics, vs. dent-type (Anderson, Vojnovich, and Griffin) 334
Wheat
Amino acids of, distribution in mill products (Hepburn, Calhoun, and Bradley) 749
Chitin content of; index of deterioration and mold contamination (Golubchuk, Cuendet, and Geddes) 405
Deteriorating; changes in low-molecular-weight compounds in (Glass and Geddes) 568
Effect of gamma irradiation on some enzyme systems in (Linko and Milner) 223
Hard and soft winter; milling properties vs. pearling, scouring, and impaction (Grosh, Shellenberger, and Farrell) 593
Malted
effect of environment, variety, and class on enzyme activity (Fleming, Johnson, and Miller) 371
effect of malting procedure and storage conditions on enzyme activity in (Fleming, Johnson, and Miller) 363
Mill for (micro), 5-g., modified; for quality test (Kitterman, Seeborg, and Barmore) 762
Milling products of
distribution of amino acids in (Hepburn, Calhoun, and Bradley) 749
distribution of vitamins in (Calhoun, Hepburn, and (Bradley) 755
Moisture in; sorption and de-

sorption affecting weight and volume (Bushuk and Hlynka) 390
Smut content in; proposed methods for determining (Johnson) 289
Starch formation in; from plants given sucrose-C^{14} or $C^{14}O_2$ (Whistler and Young) 204
Stored, see under **Storage studies**
Tempering and micromilling, improved techniques for (Sibbitt, Classon, and Harris) .. 398
Viability of, **see Viability**
Wheat breeding; selections on dough-mixing basis, using sedimentation test (Zeleny, Greenaway, Gurney, Fifield, and Lebsock) 673
Wheat embryo, see **Wheat germ**
Wheat germ
Browning of; changes in soluble carbohydrates during (Linko, Cheng, and Milner) .. 548
Carbohydrates of, quantitative study (Dubois, Geddes, and Smith) 557
Discoloration in storage by Aspergillus spp. (Papavizas and Christensen) 197
Wheat kernel; water absorption by (Becker) 309
Yeast
Active dry and compressed, growth of in doughs (Thorn and Ross) 415
Active dry vs. compressed, behavior in breadmaking (Ponte, Glass, and Geddes) 263

CEREAL CHEMISTRY

Published by the American Association of Cereal Chemists

Editor-in-Chief ..... W. F. GEDDES
Managing Editor ..... RAYMOND TARLETON
Assistant Editor ..... EUNICE R. BROWN

Editorial Board:

WELKER G. BECHTEL
CHARLES E. BODE
DOROTHY BRADBURY
B. MARLO DIRKS
G. N. IRVINE
DALE K. MECHAM
BYRON S. MILLER
GEORGE PECKHAM

VOLUME 37, NOS. 1–6
JANUARY–NOVEMBER, 1960

Minneapolis, Minnesota
1960

JONES PRESS, INC., MINNEAPOLIS, MINN.

CONTENTS

NUMBER 1, JANUARY, 1960

PAGE

The Relative Effects of Enzymatic and Physical Changes during Storage on the Culinary Properties of Rice. *H. S. R. Desikachar and V. Subrahmanyan* 1

Vitamin Contents of Air-Classified High- and Low-Protein Flour Fractions. *C. R. Jones, J. R. Fraser, and T. Moran* 9

Soy Flour as a White Bread Ingredient. I. Preparation of Raw and Heat-Treated Soy Flours, and Their Effects on Dough and Bread. *J. M. Pollock and W. F. Geddes* 19

Soy Flour as a White Bread Ingredient. II. Fractionation of Raw Soy Flour and Effects of the Fractions in Bread. *J. M. Pollock and W. F. Geddes* 30

Some Volatile Aromatic Compounds in Fresh Bread. *L. Wiseblatt and F. E. Kohn* 55

Intercomparison of Farinograph Absorption Obtained with Different Instruments and Bowls. *I. Hlynka* 67

The Effect of the Degree of Polishing of Rice on Nitrogren and Mineral Metabolism in Human Subjects. *G. Rama Rao, H. S. R. Desikachar, and V. Subrahmanyan* 71

Note on the Irradiation of Flours from Thirteen Varieties of Wheat. *C. C. Lee* 78

The Production of Amylose and Amylopectin in Corn Endosperms and in Potato Tubers. *Stig R. Erlander* 81

Determination of Uric Acid in Wheat Flour Infested by *Tribolium castaneum* Duv., Using Paper Chromatography. *S. Venkatrao, K. Krishnamurthy, M. Swaminathan, and V. Subrahmanyan* 93

The Effect of Infestation by *Tribolium castaneum* Duv. on the Quality of Wheat Flour. *S. Venkatrao, R. N. Nuggehalli, S. V. Pingale, M. Swaminathan, and V. Subrahmanyan* 97

A Note on the Vitamin B Content of Korean Rice. *C. H. Bailey* 103

Note on a Method of Appraising Mixogram Data. *Saul Zalik and Mike Ostafichuk* 105

Editorial Policy and Suggestions to Authors 107

NUMBER 2, MARCH, 1960

Effect of Flour Lipids and Some Lipid Derivatives on Cookie-Baking Characteristics of Lipid-Free Flours. *E. W. Cole, D. K. Mecham, and J. W. Pence* 109

Hemicelluloses of the Cementing Layer and of Some Cell Walls of the Corn Kernel. *H. L. Seckinger, M. J. Wolf, and Majel M. MacMasters* 121

The Dough-Mixing Behavior of Gluten and Other Flour Factions Treated with N-Ethylmaleimide. *D. K. Mecham, H. A. Sokol, and J. W. Pence* ... 129
The Bromate Reaction in Dough. I. Kinetic Studies. *W. Bushuk and I. Hlynka* ... 141
Observations on the Reactivity of Sulfhydryl Groups in Wheat Flour. *H. A. Sokol, D. K. Mecham, and J. W. Pence* ... 151
The Influence of Soya Flour in Bread Doughs. IV. Alpha-Amylase of Soya. *E. Mitchell Learmonth and J. C. Wood* ... 158
Effect of Freezing, Defrosting, and Storage Conditions on the Freshness of Dinner Rolls and Cinnamon Rolls. *K. Kulp and W. G. Bechtel* ... 170
Pilot-Plant Studies on the Continuous Batter Process to Recover Gluten from Wheat Flour. *R. A. Anderson, V. F. Pfeifer, E. B. Lancaster, C. Vojnovich, and E. L. Griffin, Jr.* ... 180
Pilot-Plant Preparation of Hydroxyethylated Flours. *E. B. Lancaster and V. F. Pfeifer* ... 189
Grain Storage Studies. XXIX. Effect of Invasion by Individual Species and Mixtures of Species of Aspergillus upon Germination and Development of Discolored Germs in Wheat. *G. C. Papavizas and C. M. Christensen* ... 197
Formation of Starch in Wheat Grain. *Roy L. Whistler and J. R. Young* ... 204
Some Observed Secondary Effects of High-Amylose Genes in Maize. *M. S. Zuber, C. O. Grogan, V. L. Fergason, W. L. Deatherage, and Majel M. MacMasters* ... 212
A Rapid Method for Determining Alpha-Amylase Activity. *Sven Hagberg* ... 218
Treatment of Wheat with Ionizing Radiations. V. Effect of Gamma Radiation on Some Enzyme Systems. *Pekka Linko and Max Milner* ... 223
Studies with Radioactive Tracers. IV. Degrees of Reduction of Br^{82}-Labeled Bromate to Bromide by Some Components of Flour. *C. C. Lee and R. Thebuk* ... 228
Effects of Absorption and Temperature upon Flour-Water Farinograms. *E. G. Bayfield and C. D. Stone* ... 233
Editorial Policy and Suggestions to Authors ... 240

NUMBER 3, MAY, 1960

Effect of the Relative Quantity of Flour Fractions on Cake Quality. *D. H. Donelson and J. T. Wilson* ... 241
Studies on the Behavior of Active Dry Yeast in Breadmaking. *J. G. Ponte, Jr., R. L. Glass, and W. F. Geddes* ... 263
Studies with Radioactive Tracers. V. The Reduction of S^{35}-Labeled Persulfate to Sulfate in Flour and Dough Systems. *C. C. Lee and D. G. Small* ... 280
Five Proposed Methods for Determining Smut Content in Wheat. *Robert M. Johnson* ... 289

On the Absorption of Liquid Water by the Wheat Kernel. *H. A. Becker* 309
Chromatographic Method for Fractionating Globulins of Corn. *T. A. McGuire, E. M. Craine, and R. J. Dimler* 324
Wet-Milling High-Amylose Corn Containing 49- and 57- percent-Amylose Starch. *R. A. Anderson, C. Vojnovich, and E. L. Griffin, Jr.* 334
The Bromate Reaction in Dough. II. Inhibition and Activation Studies. *W. Bushuk and I. Hlynka* 343
The Effect of Remixing on the Structural Relaxation of Unleavened Dough. *A. H. Bloksma and I. Hlynka* 352
Effect of Malting Procedure and Wheat Storage Conditions on Alpha-Amylase and Protease Activities. *James R. Fleming, John A. Johnson, and Byron S. Miller* 363
Effect of Environment, Variety, and Class of Wheat on Alpha-Amylase and Protease Activities of Malted Wheat. *James R. Fleming, John A. Johnson, and Byron S. Miller* 371
Damaged Starch. Quantitative Determination in Flour. *R. M. Sandstedt and P. J. Mattern* 379
Weight and Volume Changes in Wheat during Sorption and Desorption of Moisture. *W. Bushuk and I. Hlynka* 390
Improved Tempering and Modified Milling Techniques for Small Samples of Wheat. *L. D. Sibbitt, D. H. Classon, and R. H. Harris* 398
Grain Storage Studies. XXX. Chitin Content of Wheat as an Index of Mold Contamination and Wheat Deterioration. *Moishe Golubchuk, L. S. Cuendet, and W. F. Geddes* 405
A Note on an Improved Denaturation Test for Gluten Based on Solubility in Acetic Acid. *W. C. Schaefer, C. A. Wilham, R. W. Jones, R. J. Dimler, and F. R. Senti* 411
Errata 412
Editorial Policy and Suggestions to Authors 413

NUMBER 4, JULY, 1960

Determination of Yeast Growth in Doughs. *J. A. Thorn and J. W. Ross* 415
Vital Wheat Gluten by Drum Drying. II. Pilot-Plant Studies and Cost Estimates. *Charles Vojnovich, V. F. Pfeifer, R. A. Anderson, and E. L. Griffin, Jr.* 422
The Relation of Particle Size to Certain Flour Characteristics. *Betty Sullivan, W. E. Engebretson, and Merlin L. Anderson* 436
Differential Response of Rice Starch Granules to Heating in Water at 62°C. *Ruby R. Little and Grace B. Hilder* 456
Effects of Fats and Nonionic Surface-Active Agents on Starch Pastes. *Elizabeth M. Osman and Marion R. Dix* 464
Differential Reaction of Milled White Rice Varieties to a Millon Reagent Containing Trichloroacetic Acid and Mercuric Acetate. *Ruby R. Little and Grace B. Hilder* 475

The Effect of Various Sugars on the Formation and Character of Gluten. *Donna Poland Meiske, Mary Frang Jones, and Evelyn M. Jones* 483
Relation of Viability and Storage Deterioration to Glutamic Acid Decarboxylase in Wheat. *Pekka Linko and Lars Sogn* 489
Specific Rotation of Cereal and Legume Starches. *R. D. Patel, R. P. Patel, and R. S. Patel* 500
Methods for Measuring Reactivity of Chemical Leavening Systems. I. Dough Rate of Reaction. *John R. Parks, Avrom R. Handleman, J. C. Barnett, and F. H. Wright* 503
Determination of the Extent of Reaction between Epichlorohydrin and Starch. *G. E. Hamerstrand, B. T. Hofreiter, and C. L. Mehltretter* 519
Studies on the Endo-Beta-Glucanase System of Barley Malt. *Wayne W. Luchsinger, David G. Cochrane, and Eric Kneen* 525
Quality of the Protein in Selected Baked Wheat Products. *Barbara M. Kennedy and Adelia R. Sabiston* 535
A Polarimetric Study of Flour Diastatic Value. *A. H. Woodhead and Catherine A. Wyatt* 543
Changes in the Soluble Carbohydrates during Browning of Wheat Embryos. *Pekka Linko, Yu-Yen Cheng, and Max Milner* 548
The Carbohydrates of the Gramineae. X. A Quantitative Study of the Carbohydrates of Wheat Germ. *Michel Dubois, W. F. Geddes, and F. Smith* 557
Grain Storage Studies. XXXI. Changes Occurring in Low-Molecular-Weight Compounds in Deteriorating Wheat. *R. L. Glass and W. F. Geddes* 568
Disappearance of Bromate during Baking of Bread. *W. Bushuk and I. Hlynka* 573
A Note on the Enzymatic Reduction of Protein in High-Amylose Corn Starch. *Charles Vojnovich, R. A. Anderson, and E. L. Griffin, Jr.* 576
Errata 578

NUMBER 5, SEPTEMBER, 1960

The Subsieve-Size Fractions of a Hard Red Spring Wheat Flour Produced by Air Classification. *Rezsoe Gracza* 579
Milling Properties of Wheat in Relation to Pearling, Scouring, and Impaction. *G. M. Grosh, J. A. Shellenberger, and E. P. Farrell* 593
The "Remix" Baking Test. *G. N. Irvine and Marion E. McMullan* 603
Some Chemical Changes Which Accompany the Browning of Canned Bread during Storage. *Russell J. Stenberg and W. F. Geddes* 614
Studies on Accelerated Browning in Starch Pastes Containing Various Bread Ingredients. *Russell J. Stenberg and W. F. Geddes* 623

Identification of Carbonyl Compounds in an Ethanol Extract of Fresh White Bread. *H. Ng, D. J. Reed, and J. W. Pence* 638
Particle Size in Aqueous Starch Dispersions. *G. E. Babcock, R. Tobin, R. J. Dimler, and F. R. Senti* 645
Preparation and Properties of Hydroxyethylated High-Amylose Corn Starch. *J. C. Rankin, J. G. Rall, C. R. Russell, and F. R. Senti* 656
A Note on the Determination of Gelatinization Temperatures of Rice Varieties. *J. V. Halick, H. M. Beachell, J. W. Stansel, and H. H. Kramer* 670
Sedimentation Value as an Index of Dough-Mixing Characteristics in Early-Generation Wheat Selections. *Lawrence Zeleny, W. T. Greenaway, Georgia M. Gurney, C. C. Fifield, and Kenneth Lebsock* 673
Communication to the Editor. Presence and Probable Role of Thioctic Acid in Wheat Flour. *Leland Dahle and Betty Sullivan* 679
Editorial Policy and Suggestions to Authors 682

NUMBER 6, NOVEMBER, 1960

Studies on the Effect of Flour-Fraction Interchange upon Cake Quality. *D. H. Donelson and J. T. Wilson* 683
Effect of Bisulfite and Acetaldehyde on the Disulfide Linkage in Wheat Protein. *H. Matsumoto, I. Oshima, and I. Hlynka* 710
Measurement of the Improver Response in Dough. *I. Hlynka and R. R. Matsuo* 721
Some Aromatic Compounds Present in Oven Gases. *Lazare Wiseblatt* 728
The Volatile Organic Acids Found in Dough, Oven Gases, and Bread. *Lazare Wiseblatt* 734
Sulfhydryl Losses during Mixing of Doughs: Comparison of Flours Having Various Mixing Characteristics. *H. A. Sokol, D. K. Mecham, and J. W. Pence* 739
The Distribution of the Amino Acids of Wheat in Commercial Mill Prducts. *F. N. Hepburn, W. K. Calhoun, and W. B. Bradley* 749
The Distribution of the Vitamins of Wheat in Commercial Mill Products. *W. K. Calhoun, F. N. Hepburn, and W. B. Bradley* 755
A Note on the Modification of the Five-Gram Milling-Quality Test and the Five-Gram Micromill. *S. J. Kitterman, E. F. Seeborg, and M. A. Barmore* 762
Determination of Bread Crumb Color as Related to the Color of Flour Used to Bake the Bread. *Y. Pomeranz* 765
Erratum 773
Editorial Policy and Suggestions to Authors 774
Index to Volume XXXVII 775